


[DOWNLOAD](#)


Government Operations: Gsas Operation of a Firing Range in the Cincinnati Post Office and Courthouse Building: Ggd-84-48

By -

Bibliogov. Paperback. Book Condition: New. This item is printed on demand. Paperback. 26 pages. Dimensions: 9.7in. x 7.4in. x 0.1in. Pursuant to a congressional request, GAO reviewed certain allegations concerning the General Services Administrations (GSA) operation of the indoor firing range located in the Cincinnati Post Office and Courthouse Building. A constituent had accused GSA of allowing the facility to remain open although it was a health and safety hazard. GSA had temporarily closed the range for interim modifications in 1977 because tests showed that airborne lead contaminants exceeded safe levels. The range was reopened in a month, although tests continued to show a high level of contaminants. GAO found that GSA erroneously told the constituent that the range had been permanently closed after the initial tests. As a result of the revelation, GSA initiated an internal investigation to determine management responsibility for actions taken relating to the firing range. This item ships from La Vergne, TN. Paperback.



READ ONLINE
[7.38 MB]

Reviews

Basically no terms to clarify. It is actually written in basic terms rather than confusing. I found out this ebook from my dad and I suggested this book to find out.

-- **Elinore Vandervort**

If you need to add benefit, a must buy book. I could possibly comprehend every little thing out of this composed pdf. I am quickly getting a enjoyment of looking at a composed book.

-- **Mrs. Mariam Hartmann**